

# Information for light fixtures VYRTYCH according to EU Directive 2009/125/EC and Regulation EU no. 347/2010

Type of light fitting	Ballast	EEI		[W]		Lamp - ILCOS code
KELPIE - ... - EP	EVG	A2 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P(/L)(/LH)-G5-16/549/1149/1449
KELPIE - ... - EP - DIM	EVG	A1 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P(/L)(/LH)-G5-16/549/1149/1449
FOX - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
FOX - ... - EP	EVG	A2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2 BAT	T16	14/21/24/28/35/39/49/54	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(/L)(/LH)-G5-16/549/849/1149/1449
FOX - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/21/24/28/35/39/49/54	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(/L)(/LH)-G5-16/549/849/1149/1449
FALCON - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
FALCON - ... - EP	EVG	A2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
FALCON - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
GRIFON - ... - EP	EVG	A2	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(/L)(/LH)-G5-16/549/849/1149/1449
GRIFON - ... - EP - DIM	EVG	A1 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(/L)(/LH)-G5-16/549/849/1149/1449
FORK - ...	VVG	B2	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
FORK - ... - EP	EVG	A2	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
	EVG	A2	T16	28/35/49/54/80	G5	FDH(S)-28/35/49/54/80-L/P(/L)(/LH)-G5-16/1149/1449
FORK - ... - EP - DIM	EVG	A1 BAT	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
	EVG	A1 BAT	T16	28/35/49/54/80	G5	FDH(S)-28/35/49/54/80-L/P(/L)(/LH)-G5-16/1149/1449
HOOVER4 - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
HOOVER4 - ... - EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(/L)(/LH)-G5-16/549/849/1149/1449
	EVG	A2 BAT	TC-L	36/55	2G11	FSDH-36/55-L/P-2G11
HOOVER4 - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(/L)(/LH)-G5-16/549/849/1149/1449
	EVG	A1 BAT	TC-L	36/55	2G11	FSDH-36/55-L/P-2G11
HOUND4 - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
HOUND4 - ... - EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
HOUND4 - ... - EP	EVG	A2 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(/L)(/LH)-G5-16/549/849/1149/1449

HOUND4 - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
HOUND4 - ... - EP - DIM	EVG	A1 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P/(L)/(LH)-G5-16/549/849/1149/1449
BRIARD - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
BRIARD - ... - EP	EVG	A2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P/(L)/(LH)-G5-16/549/849/1149/1449
BRIARD - ... - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P/(L)/(LH)-G5-16/549/849/1149/1449
PULI - ...	VVG	B2	TC-D	13/18/26	G24d...	FSQ-13/18/26-I-G24d=1/2/3
PULI - EP	EVG	A2	TC-DEL	13/18/26	G24q...	FSQ-13/18/26-E-G24q=1/2/3
PULI - ... - EP - DIM	EVG	A1 BAT	TC-DEL	13/18/26	G24q...	FSQ-13/18/26-E-G24q=1/2/3
CORSO - ...	VVG	B2	TC-S	11	G23	FSD-11-I-G23
	VVG	B2	TC-D	13	G24d1	FSQ-13-I-G24d=1
	VVG	B2	TC-DD	16	GR10q	FSS-16-E-GR10q
	VVG	B2	TC-DD	21	GR10q	FSS-21-E-GR10q
	VVG	B2	T29-R	22	G10q	FSC-22-E-G10q-29/200
CORSO - EP	EVG	A2	TC-DEL	18	G24q2	FSQ-18-E-G24q=2
	EVG	A2	TC-F	24	2G10	FSS-24-E-2G10
	EVG	A2	T16-R	22	2GX13	FSCH-22-L/P-2GX13-16/225
	EVG	A2	TC-DEL	26	G24q3	FSQ-26-E-G24q=3
CORSO - ... - EP - DIM	EVG	A1 BAT	TC-DEL	18	G24q2	FSQ-18-E-G24q=2
	EVG	A1 BAT	TC-F	24	2G10	FSS-24-E-2G10
	EVG	A1 BAT	T16-R	22	2GX13	FSCH-22-L/P-2GX13-16/225
	EVG	A1 BAT	TC-DEL	26	G24q3	FSQ-26-E-G24q=3
WESTY - ...	VVG	B2	TC-S	9/11	G23	FSD-9/11-I-G23
WESTY - EP	EVG	A2	T16	8	G5	FD-8-E-G5-16/300
	EVG	A2	TC-SEL	9/11	2G7	FSD-9/11-E-2G7
WESTY - ... - EP - DIM	EVG	A1 BAT	T16	8	G5	FD-8-E-G5-16/300
	EVG	A1 BAT	TC-SEL	9/11	2G7	FSD-9/11-E-2G7
BÍGL - ...	VVG	B2	TC-S	11	G23	FSD-11-I-G23
BÍGL - EP	EVG	A2	TC-SEL	11	2G7	FSD-11-E-2G7
BÍGL - ... - EP - DIM	EVG	A1 BAT	TC-SEL	11	2G7	FSD-11-E-2G7
BALOT - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
BALOT - ... - EP	EVG	A2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
BALOT - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
BALOT - T5 - ...	EVG	A2	T16	54/80	G5	FDH(S)-54/80-L/P/(L)/(LH)-G5-16/1149/1449
BALOT - T5 - ... - EP - DIM	EVG	A1 BAT	T16	54/80	G5	FDH(S)-54/80-L/P/(L)/(LH)-G5-16/1149/1449

BARBET - ...	EVG	A2	T16	14/24/28/54	G5	FDH(S)-14/24/28/54-L/P(L)/(LH)-G5-16/549/1149
BARBET - ... - EP - DIM	EVG	A1 BAT	T16	14/24/28/54	G5	FDH(S)-14/24/28/54-L/P(L)/(LH)-G5-16/549/1149
HOOVER - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
HOOVER - ... - EP	EVG	A2 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
	EVG	A2 BAT	TC-L	36/55	2G11	FSDH-36/55-L/P-2G11
HOOVER - ... - EP - DIM	EVG	A1 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
	EVG	A1 BAT	TC-L	36/55	2G11	FSDH-36/55-L/P-2G11
HOUND - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
HOUND - ... - EP	EVG	A2 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
HOUND - ... - EP - DIM	EVG	A1 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
VERTIGO - ...	VVG	B2	TC-L	36	2G11	FSDH-36-L/P-2G11
VERTIGO - ... - EP	EVG	A2	TC-L	36/55	2G11	FSDH-36/55-L/P-2G11
VERTIGO - ... - EP - DIM	EVG	A1 BAT	TC-L	36/55	2G11	FSDH-36/55-L/P-2G11
	EVG	A1 BAT	T16	14	G5	FDH(S)-14-L/P(L)/(LH)-G5-16/549
BANDOG - ...	VVG	B2	TC-D	13/18/26	G24d...	FSQ-13/18/26-I-G24d=1/2/3
BANDOG - ... - EP	EVG	A2	TC-DEL	13/18/26	G24d...	FSQ-13/18/26-E-G24q=1/2/3
BANDOG - ... - EP - DIM	EVG	A1 BAT	TC-DEL	13/18/26	G24d...	FSQ-13/18/26-E-G24q=1/2/3
FARGO - ...	VVG	B2	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
FARGO - ... - EP	EVG	A2	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
FARGO - ... - EP - DIM	EVG	A1 BAT	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
EXTREME - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
EXTREME - ... - EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2 BAT	T16	14/21/24/28/35/39/49/54/80	G13	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
EXTREME - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/21/24/28/35/39/49/54/80	G13	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
SALUKA - ... - EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449
SALUKA - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449
VIPET - I - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
VIPET - I - ... - EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2 BAT	T16	14/24/28/35/49/54/80	T5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449

VIPET - I - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/24/28/35/49/54/80	T5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449
VIPET - II - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
VIPET - II - ... - EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449
VIPET - II - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449
POINTER - I - ...	VVG	B2	TC-S	11	G23	FSD-11-I-G23
POINTER - I - ... - EP	EVG	A2	TC-SEL	11	2G7	FSD-11-E-2G7
POINTER - I - ... - EP - DIM	EVG	A1 BAT	TC-SEL	11	2G7	FSD-11-E-2G7
POINTER - II - ...	VVG	B2	TC-S	11	G23	FSD-11-I-G23
POINTER - II - ... - EP	EVG	A2	TC-SEL	11	2G7	FSD-11-E-2G7
POINTER - II - ... - EP - DIM	EVG	A1 BAT	TC-SEL	11	2G7	FSD-11-E-2G7
3V36a - ...	VVG	B2	T26	36	G13	FD-36-E-G13-26/1200
3V36a - ... - EP	EVG	A2 BAT	T26	36	G13	FD-36-E-G13-26/1200
	EVG	A2 BAT	T26	28/54	G13	FDH(S)-28/54-L/P(L)/(LH)-G5-16/1149
3V36a - ... - EP - DIM	EVG	A1 BAT	T26	36	G13	FD-36-E-G13-26/1200
	EVG	A1 BAT	T26	28/54	G13	FDH(S)-28/54-L/P(L)/(LH)-G5-16/1149
V - SOKOL - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
V - SOKOL - ... - EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2 BAT	T16	14/24/28/35/49/54/80	T5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449
V - SOKOL - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449
AQUA - I - ...	VVG	B2	TC-S	11	G23	FSD-11-I-G23
	VVG	B2	T26	18/36	G13	FD-18/36-E-G13-26/590/1200
	VVG	B2	TC-L	36	2G11	FSDH-36-L/P-2G11
	VVG	B3	T26	58	G13	FD-58-E-G13-26/1500
AQUA - I - ... - EP	EVG	A2	TC-SEL	11	2G7	FSD-11-E-2G7
	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
AQUA - I - ... - EP - DIM	EVG	A1 BAT	TC-SEL	11	2G7	FSD-11-E-2G7
	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
AQUA - II - I - ...	VVG	B2	T26	18/36	G13	FD-18/36-E-G13-26/590/1200
AQUA - II - I - ... - EP	EVG	A2 BAT	T16	6/8/13/14/21/24/28/35/39/54/80	G5	FDH(S)-6/8/13/14/21/24/28/35/39/54/80-L/P(L)/(LH)-G5-16/225/300/525/549/1149/1449
	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
AQUA - II - I - ... - EP - DIM	EVG	A1 BAT	T16	6/8/13/14/21/24/28/35/39/54/80	G5	FDH(S)-6/8/13/14/21/24/28/35/39/54/80-L/P(L)/(LH)-G5-16/225/300/525/549/1149/1449

	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
AQUA - 40 - I - ... - EP	EVG	A2 BAT	T16	6/8/13/14/21/24/28/39/54	T5	FDH(S)-6/8/13/14/21/24/28/39/54-L/P(L)/(LH)-G5-16/225/300/525/549/1149/1449
AQUA - 40 - I - ... - EP - DIM	EVG	A1 BAT	T16	6/8/13/14/21/24/28/39/54	T5	FDH(S)-6/8/13/14/21/24/28/39/54-L/P(L)/(LH)-G5-16/225/300/525/549/1149/1449
V - MASTIF - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
V - MASTIF - ... - EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
V - MASTIF - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
V - DOGA - ... - EP - DIM	EVG	A1 BAT	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
PITBUL - I - ... - EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449
PITBUL - I - ... - EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449
FILA - I - ...	VVG	B2	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
FILA - I - ... - EP	EVG	A2 BAT	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
FILA - I - ... - EP - DIM	EVG	A1 BAT	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
FILA - I - ... - EP	EVG	A2 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449
FILA - I - ... - EP - DIM	EVG	A1 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P(L)/(LH)-G5-16/549/1149/1449
EXTREME - PLUS - ...	VVG	B1	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
EXTREME - MÍNUS - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
SALUKA - T60 - ...	VVG	B1	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
SALUKA - FROST - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
MASTIF - T70 - ...	VVG	B1	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
V - T60 - ...	VVG	B1	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
RAMBO - ...	VVG	B2	TC-S	11	G23	FSD-11-I-G23
	VVG	B2	T26	18/36	G13	FD-18/36-E-G13-26/590/1200
	VVG	B2	TC-L	36	2G11	FSDH-36-L/P-2G11
RAMBO - ... - EP	EVG	A2	TC-S	11	G23	FSD-11-I-G23
	EVG	A2 BAT	T26	18/36	G13	FD-18/36-E-G13-26/590/1200
	EVG	A2 BAT	T16	6/8/13/14/21/24/28/35/39/54/80	G5	FDH(S)-6/8/13/14/21/24/28/35/39/54/80-L/P(L)/(LH)-G5-16/225/300/525/549/1149/1449
RAMBO - ... - EP - DIM	EVG	A1 BAT	TC-S	11	G23	FSD-11-I-G23
	EVG	A1 BAT	T26	18/36	G13	FD-18/36-E-G13-26/590/1200

	EVG	A1 BAT	T16	6/8/13/14/21/24/28/35/39/54/80	G5	FDH(S)-6/8/13/14/21/24/38/35/39/54/80-L/P(L)/(LH)-G5-16/225/300/525/549/1149/1449
BOXER - ... - EP	EVG	A2	TC-L	18/36	2G11	FSDH-18/36-L/P-2G11
	EVG	A2 BAT	T16	8/13/14/21/24/28/35/39/49/54/80	G5	FDH(S)-8/13/14/21/24/38/35/39/54/80-L/P(L)/(LH)-G5-16/300/525/549/1149/1449
BOXER - ... - EP - DIM	EVG	A1 BAT	TC-L	18/36	2G11	FSDH-18/36-L/P-2G11
	EVG	A1 BAT	T16	8/13/14/21/24/28/35/39/49/54/80	G5	FDH(S)-8/13/14/21/24/38/35/39/54/80-L/P(L)/(LH)-G5-16/300/525/549/1149/1449
GOLIÁŠ - T40 - ...S	VVG	A3	HSE	50/70/100/150/250	E27/E40	SE-50/70/100/150/250/20/4-H 80/90/100/I-E27/E40-70/75/90/156/186/226
	VVG	A2	HSE	400	E40	SE-400/20/4-H 105/S-E40-120/290
GOLIÁŠ - T40 - ...H	VVG	A3	HIE	70/100/150/250	E27/E40	MES/UB-70/100/150/250/30/52/1A/B-H 98/99/100/109/S-E27/E40-54/90/138/226
	VVG	A2	HIE	400	E40	MES/UB-400/45/1A-H 110/S-E40-120/290
GOLIÁŠ - T60 - ...S	VVG	A3	HSE	250	E40	SE-250/20/4-H 100/S-E40-90/226
	VVG	A2	HSE	400	E40	SE-400/20/4-H 105/S-E40-120/290
GOLIÁŠ - T60 - ...H	VVG	A3	HIE	250	E40	MES/UB-250/52/1A-H 98/S-E40-90/226
	VVG	A2	HIE	400	E40	MES/UB-400/45/1A-H 110/S-E40-120/290
SANTA - ...S	VVG	A3	HSE	50/70/100/150/250	E27/E40	SE-50/70/100/150/250/20/4-H 80/90/100/I-E27/E40-70/75/90/156/186/226
	VVG	A2	HSE	400	E40	SE-400/20/4-H 105/S-E40-120/290
	VVG	A3	HST	50/70/100/150/250	E27/E40	ST-50/70/100/150/250/20/4-H 85/90/100/S-E27/E40-37/46/156/211/257
	VVG	A2	HST	400	E40	ST-400/20/4-H 105/S-E40-46/285
SANTA - ...H	VVG	A3	HIE	70/100/150/250	E27/E40	MES/UB-70/100/150/250/30/52/1A/B-H 98/99/100/109/S-E27/E40-54/90/138/226
	VVG	A2	HIE	400	E40	MES/UB-400/45/1A-H 110/S-E40-120/290
	VVG	A3	HIT	70/100/150/250	E27/E40	MT/UB-70/100/150/250/30/1B-H 90/97/110/S-E27/E40-30/46/47/150/204/226
	VVG	A2	HIT	400	E40	MT/UB-400/61/1A-H 122/S-E40-62/285
K - 2 - ...S	VVG	A3	HST	250	E40	ST-250/20/4-H 100/S-E40-46/257
K - 2 - ...H	VVG	A3	HIT	250	E40	MT/UB-250/53/1A-H 100/S-E40-46/225
K - 3 - ...S	VVG	A2	HST	400	E40	ST-400/20/4-H 105/S-E40-46/285
K - 3 - ...H	VVG	A2	HIT	400	E40	MT/UB-400/37/2B-H 124/S-E40-46/285/H 45
XANTI - ...S	VVG	A3	HST	150/250	E40	ST-150/250/20/4-H 100/S-E40-46/211/257
	VVG	A2	HST	400	E40	ST-400/20/4-H 105/S-E40-46/285
XANTI - ...H	VVG	A3	HIT	150/250	E40	MT/UB-150/250/30/1B-H 97/110/S-E40-46/204/226
	VVG	A2	HIT	400	E40	MT/UB-400/61/1A-H 122/S-E40-62/285
FLAT - ...S	VVG	A3	HST	50/70/100/150/250	E27/E40	ST-50/70/100/150/250/20/4-H 85/90/100/S-E27/E40-37/46/156/211/257
	VVG	A2	HST	400	E40	ST-400/20/4-H 105/S-E40-46/285
FLAT - ...H	VVG	A3	HIT	150/250	E27/E40	MT/UB-150/250/30/1B-H 97/110/S-E40-46/204/226
	VVG	A2	HIT	400	E40	MT/UB-400/61/1A-H 122/S-E40-62/285

TRIPOLI - ...S	VVG	A3	HST	70/150/250	E27/E40	ST-70/150/250/20/4-H 85/100/S-E27/E40-37/46/156/211/257
	VVG	A2	HST	400	E40	ST-400/20/4-H 105/S-E40-46/285
TRIPOLI - ...H	VVG	A3	HIT	70/100/150/250	E27/E40	MT-70/100/150/250/30/1B-H 90/97/110/S-E27/E40-30/46/47/150/204/226
	VVG	A2	HIT	400	E40	MT/UB-400/61/1A-H 122/S-E40-62/285
HORNET - ...S	VVG	A3	HSE	70/100/150/250	E27/E40	SE-70/100/150/250/20/4-H 90/100/I-E27/E40-70/75/90/156/186/226
	VVG	A3	HST	70/100/150/250	E27/E40	ST-70/100/150/250/20/4-H 85/100/S-E27/E40-37/46/156/211/257
HORNET - ...H	VVG	A3	HIE	70/100/150/250	E27/E40	MES/UB-70/100/150/250/30/52/1A/B-H 98/99/100/109/S-E27/E40-54/90/138/226
	VVG	A3	HIT	70/100/150/250	E27/E40	MT/UB-70/100/150/250/30/1B-H 90/97/110/S-E27/E40-30/46/47/150/204/226
DINGO - ...S	VVG	A3	HSE	50/70/100/150	E27/E40	SE-50/70/100/150/20/4-H 80/90/100/I-E27/E40-70/75/90/156/186/226
	VVG	A3	HST	50/70/100/150	E27/E40	ST-50/70/100/150/20/4-H 85/90/100/S-E27/E40-37/46/156/211
DINGO - ...H	VVG	A3	HIE	70/100/150	E27	MES/UB-70/100/150/30/1B-H 99/100/109/S-E27-54/138
	VVG	A3	HIT	70/100/150	E27	MT/UB-70/100/150/30/1B-H 90/97/S-E27/E40-30/46/47/150/204
BETY - ...S	VVG	A3	HSE	50/70/100/150	E27/E40	SE-50/70/100/150/20/4-H 80/90/100/I-E27/E40-70/75/90/156/186/226
	VVG	A2	HSE	100	E40	SE-100/20/4-H 100/S-E40-75/186
	VVG	A3	HST	50/70/100/150	E27/E40	ST-50/70/100/150/20/4-H 85/90/100/S-E27/E40-37/46/156/211
	VVG	A2	HST	100	E40	ST-100/20/4-H 100/S-E40-46/211
BETY - ...H	VVG	A3	HIE	70/150	E27	MES/UB-70/150/30/1B-H 99/109/S-E27-54/138
	VVG	A2	HIE	100	E27	MES/UB-100/30/1B-H 100/S-E27-54/138
	VVG	A3	HIT	70/150	E27	MT/UB-70/150/30/1B-H 90/97/S-E27/E40-30/46/150/204
	VVG	A2	HIT	100	E27	MT/UB-100/30/1B-H-E40-47/204
MAWERICK - EP	EVG	A2	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
MAWERICK - EP - DIM	EVG	A1 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
YORK -...- EP	EVG	A2	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
YORK -...- EP - DIM	EVG	A1 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
APSO -...- EP	EVG	A2	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
APSO -...- EP - DIM	EVG	A1 BAT	T16	14/21/24/28/35/39/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P(L)/(LH)-G5-16/549/849/1149/1449
VERTIGO20 - ...	VVG	B2	TC-L	36	2G11	FSDH-36-L/P-2G11
VERTIGO20 - ... EP	EVG	A2	TC-L	36/55	2G11	FSDH-36/55-L/P-2G11
	EVG	A2	T16	14	G5	FDH(S)-14-L/P(L)/(LH)-G5-16/549
VERTIGO20 - ... EP - DIM	EVG	A1 BAT	TC-L	36/55	2G11	FSDH-36/55-L/P-2G11
	EVG	A1 BAT	T16	14	G5	FDH(S)-14-L/P(L)/(LH)-G5-16/549
GORDON - ... EP	EVG	A2	T16	28/35/49/54/80	G5	FDH(S)-28/35/49/54/80-L/P(L)/(LH)-G5-16/1149/1449
GORDON - ... EP - DIM	EVG	A1 BAT	T16	28/35/49/54/80	G5	FDH(S)-28/35/49/54/80-L/P(L)/(LH)-G5-16/1149/1449

EXTRA - ...	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
EXTRA - ... EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/39/49/54/80-L/P/(L)/(LH)-G5-16/549/849/1149/1449
EXTRA - ... EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/39/49/54/80-L/P/(L)/(LH)-G5-16/549/849/1149/1449
DUNKER - ... EP	EVG	A2 BAT	T16	28/35/49/54/80	G5	FDH(S)-28/35/49/54/80-L/P/(L)/(LH)-G5-16/1149/1449
	EVG	A2 BAT	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
DUNKER - ... EP - DIM	EVG	A1 BAT	T16	28/35/49/54/80	G5	FDH(S)-28/35/49/54/80-L/P/(L)/(LH)-G5-16/1149/1449
	EVG	A1 BAT	T26	36/58	G13	FD-36/58-E-G13-26/1200/1500
GALGO - ...EP	EVG	A2 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P/(L)/(LH)-G5-16/549/1149/1449
		A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
GALGO - ...EP - DIM	EVG	A1 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/49/54/80-L/P/(L)/(LH)-G5-16/549/1149/1449
		A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
CLUMBER - ... EP	EVG	A2	TC-F	24/36	2G10	FSS-24/36-E-2G10
	EVG	A2	TC-L	18/24/36	2G11	FSDH-18/24/36-L/P-2G11
	EVG	A2	T16-R	22/40/55	2Gx13	FSCH-22/40/55-L/P-2GX13-16/225/300
AKITA - ....	VVG	B2	TC-L	36	2G11	FSDH-36-L/P-2G11
AKITA - .... EP	EVG	A2	TC-L	36	2G11	FSDH-36-L/P-2G11
EUROPA	VVG	B2	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
EUROPA-....EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/39/49/54/80-L/P/(L)/(LH)-G5-16/549/849/1149/1449
EUROPA-E-....EP	EVG	A2	T25	18/36/58		FD-18/36/58-E-G13-26/590/1200/1500
EUROPA-....EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/24/28/35/39/49/54/80-L/P/(L)/(LH)-G5-16/549/849/1149/1449
LARO-....EP	EVG	A2 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A2 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P/(L)/(LH)-G5-16/549/849/1149/1449
LARO-....EP - DIM	EVG	A1 BAT	T26	18/36/58	G13	FD-18/36/58-E-G13-26/590/1200/1500
	EVG	A1 BAT	T16	14/24/28/35/49/54/80	G5	FDH(S)-14/21/24/28/35/39/49/54/80-L/P/(L)/(LH)-G5-16/549/849/1149/1449

**EVG - Electronic ballast**

**VVG - Magnetic ballast**



**Cleaning:**

To maintain the qualities of luminaires throughout its lifetime, it is necessary to periodically clean the optical system. Cleaning should be carried out at periodic intervals. It can be done using lukewarm water with common detergents. It is not allowed to clean the luminaire using solvents or other aggressive chemical substances. It is recommended to use lint-free cloth. Luminaires cleaning can be done at the same time with lamp exchanging.

**Maintenance:**

During maintenance should be checked following:

1. Inspect cover and body. If some part is damaged, it is necessary to replace it immediately.
2. Inspect sealing, if it is part of the luminaire. In case of damage, must be replaced immediately.
3. Inspect all holders and grips. In case of damage, must be replaced immediately.
4. Check all electrical parts including electroinstallation.

Maintenance and installation of lighting fixtures must be done only by authorized persons in accordance with valid regulations in electrotechnics.

**Waste disposal:**

Primary, lamps must be removed out of the luminaire before disposing. Subsequently, the entire luminaire can give for recycling. Producer included in the recycling system of electrical appliances and electrical pursuant to applicable regulations and regulation.

